

Exam Limits to Computing (201300042)

Thursday, October 29, 2015, 8:45 – 11:45

- Use of calculators, mobile phones, etc. is not allowed!
- This exam consists of four problems.
- Please start a new page for each problem.
- The total number of points is $63+7 = 70$. The distribution of points is according to the following table.

1a: 6	2: 15	3a: 4	4a: 3
1b: 7		3b: 6	4b: 3
1c: 3		3c: 4	4c: 3
			4d: 3
			4e: 3
			4f: 3

1. Decidability and Recursive Enumerability

Consider the following problem:

$$\text{FIXEDPOINT} = \{g \in \mathcal{G} \mid \exists n \in \mathbb{N} : \varphi_g(n) = n\}.$$

This means that **FIXEDPOINT** contains all Gödel numbers of **WHILE** programs that output n on input n for at least one number $n \in \mathbb{N}$.

- (6 points) Is **FIXEDPOINT** \in **REC**? Prove your answer.
- (7 points) Is **FIXEDPOINT** \in **RE**? Prove your answer.
- (3 points) Is **FIXEDPOINT** \in **co-RE**? Prove your answer.

2. NP-Completeness

Let $G = (V, E)$ and $H = (U, F)$ be undirected graphs. We call H a subgraph of G if there exists an injective mapping $\pi : U \rightarrow V$ such that the following holds: For all $a, b \in U$ with $\{a, b\} \in F$, we have $\{\pi(a), \pi(b)\} \in E$.

Less formally: H is a subgraph of G , if G contains a copy of H . Or: H is a subgraph of G if we can remove nodes and edges of G to obtain a graph that is isomorphic to H .

Let

$$\text{SUBGRAPH} = \{(G, H) \mid H \text{ is a subgraph of } G\}.$$

(15 points) Prove that SUBGRAPH is NP-complete.

Hint: CLIQUE is NP-hard.

3. Complexity Classes

Let $E = \text{DTime}(2^{O(n)})$. Recall that $\text{EXP} = \bigcup_{c>0} \text{DTime}(2^{O(n^c)})$.

- (a) (4 points) Prove that $E \subsetneq \text{EXP}$.
- (b) (6 points) Prove that E is not closed under polynomial-time many-one reductions. This means that there are problems A and B with $A \leq_P B$ and $B \in E$ and $A \notin E$.
- (c) (4 points) Prove that $E \neq \text{PSPACE}$.

Remark: Just prove that the two classes differ, you do not have to prove that $E \subsetneq \text{PSPACE}$ or $\text{PSPACE} \subsetneq E$ and, most likely, your proof does not answer if one class is a subset of the other.

4. Questions

Are the following statements true or false? Justify your answers.

- (a) (3 points) If $P = \text{PSPACE}$, then $\text{NP} = \text{co-NP}$. ✓
- (b) (3 points) $3\text{SAT} \in \text{PSPACE}$.
- (c) (3 points) If $3\text{-COLORING} \in \text{NL}$, then $P = \text{NP}$.
- (d) (3 points) For all $L \subseteq \mathbb{N}$, the following holds: If $L \leq H_0$, where H_0 denotes the special halting problem, then $L \notin \text{co-RE}$.
- (e) (3 points) For all $L \subseteq \mathbb{N}$, the following holds: If $L \in \text{REC}$, then $\overline{L} = \mathbb{N} \setminus L \in \text{RE}$.
- (f) (3 points) If $\text{NL} = \text{NP}$, then $\text{co-NP} \subsetneq \text{PSPACE}$. ✓